



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification <sup>6</sup> : <b>A61L 27/00</b></p>	<p><b>A2</b></p>	<p>(11) International Publication Number: <b>WO 99/38543</b> (43) International Publication Date: <b>5 August 1999 (05.08.99)</b></p>
<p>(21) International Application Number: <b>PCT/US99/01677</b> (22) International Filing Date: <b>27 January 1999 (27.01.99)</b> (30) Priority Data: 09/014,519 28 January 1998 (28.01.98) US 09/154,400 16 September 1998 (16.09.98) US (71) Applicants (for all designated States except US): <b>REGENERATION TECHNOLOGIES, INC. [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US). UNIVERSITY OF FLORIDA TISSUE BANK, INC. [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US).</b> (72) Inventors; and (75) Inventors/Applicants (for US only): <b>WIRONEN, John, F. [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US). FELTON, Phillip, A. [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US). JAW, Rebecca [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US).</b> (74) Agent: <b>BENCEN, Gerard, H.; Gerard H. Bencen, P.A., 426 Anderson Court, Orlando, FL 32801 (US).</b></p>		<p>(81) Designated States: <b>AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</b>  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i></p>


BEST AVAILABLE COPY

(54) Title: **BONE PASTE SUBJECTED TO IRRADIATIVE AND THERMAL TREATMENT**

(57) Abstract

A thermally sterilized bone paste useful in the orthopedic arts, for example in the repair of non-union fractures, periodontal ridge augmentation, craniofacial surgery, implant fixation, impaction grafting, or any other procedure in which generation of new bone is deemed necessary, is provided by a composition comprising a substantially bioabsorbable osteogenic compound in a matrix of 11-19 %, and preferably about 15-19 % (w/w) or thermally sterilized gelatin. In various embodiments, the osteogenic compound is selected from (i) demineralized bone matrix (DBM); (ii) bioactive glass ceramic, BIOGLASS®, bioactive ceramic, calcium phosphate ceramic, hydroxyapatite, hydroxyapatite carbonate, corraline hydroxyapatite, calcined bone, tricalcium phosphate, or like material; (iii) bone marrow extracts, vascular proliferation or regeneration growth factors, bone morphogenetic protein, TGF-β, PDGF, or mixtures thereof, natural or recombinant; and (iv) mixtures of (i)-(iii). The thermally sterilized gelatine may be a commercially available grade of gelatine which is both thermally and irradiatively sterilized.

**Kinematic Viscosity of Solutions of Porcine and Human Gelatin of Different Heat Treatments**



- 121°C/8 hr. Porcine (4 samples)
- 130°C/3 hr. Porcine (4 samples)
- ▼ Untreated Porcine (2 samples)
- ▽ Distilled Water (2 samples)
- 121°C/6 hr. Human (1 sample)
- ◆ Untreated Human (Lyo: 3x Wet N<sub>2</sub>) (1 sample)
- ◇ 121°C/6 hr. Treated Human (Lyo: 3x Wet N<sub>2</sub>) (1 sample)

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LJ	Liechtenstein	SD	Sudan		
DE	Germany	LI	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

TITLE OF THE INVENTIONBONE PASTE SUBJECTED TO IRRADIATIVE AND THERMAL TREATMENTCROSS REFERENCE TO RELATED APPLICATIONS

5

This application is a continuation-in-part of related United States Patent Application serial number 09/014,519, filed January 28, 1998, pending

Background of the Invention

10

1. Field of the Invention:

This invention provides an improved, thermally sterilized bone paste, useful in the production of osteogenic, osteoinductive, and/or osteoconductive compositions for use in the field of orthopedic medicine to achieve bone fusions, fusion of implants to bone, filling of bone defects, or any other applications in which an osteoinductive, osteogenic composition is desirable.

2. Background:

20

More than 100,000 bone grafting procedures are performed every year in the United States alone. (Cornell). In the majority of reconstruction procedures, the graft material is used as a filler between bone particles in the belief that continuous contact between particles of bone leads to more rapid and complete healing at the repair site (as well as greater mechanical integrity). (Bloebaum). In the cases of bone augmentation and spinal fusion, these bone grafts may make up the entire structure of the graft, since there are no bone fragments in the area. With the possible exception of one product (whose use guidelines do not allow this), all bone grafting materials require surgical placement with the requisite incisions.

30

Osteogenic bone grafting materials may be separated into two classes, namely those which are osteoconductive, and those which are osteoinductive. While the exact definition of these terms remains a matter of debate, it can be said that osteoconductive implants "conduct" bone

growth across defects when implanted into osseous tissue. (Einhorn). Osteoinductive implants, on the other hand, have the ability to "induce" cells in the area to generate bone of their own accord. (Einhorn). These osteoinductive implants will cause the generation of bone even when they are implanted into non-osseous tissue (e.g. subcutaneous or intramuscular implantation). (Einhorn; Benedict; Strates; Urist).

All of the artificially produced bone-grafting materials available today fall in the osteoconductive category of grafts. Among these are Bioglass®, Norian®, Collagraft®, corraline hydroxyapatite, powdered hydroxyapatite, crystalline and amorphous hydroxyapatite (hydroxyl apatite), and a number of other products. All of these implants rely on their similarity to natural bone hydroxyapatite. A likely mechanism for bone conduction lies in the ability of these materials to enhance diffusion of trophic factors and cells over their very large surface areas and the mechanical support which they provide to growing tissues. Figure 1 provides a list of relevant properties of selected bone graft materials.

The other category of bone grafting materials currently available is encompassed by autograft or allograft bone. If not too harshly processed, these materials are generally osteoinductive.(Yazdi). Since they are tissue transplants, their use imposes certain risks. Autografts have been associated with harvest site morbidity in excess of 20%. (Younger). Frozen or freeze-dried allografts induce some immune response, and if not properly screened, can be associated with disease transmission. (Hordin). The last variety of allografts is demineralized bone matrix.

Demineralized Bone Matrix (DBM) was first described by Senn in 1889. (Senn). It was rediscovered, largely by accident, and thoroughly studied by Urist and Strates in the late 1960's. (Strates; Urist). It has since become a major product of tissue banks around the world. As the name implies, it is bone which has been demineralized by treatment with acid. A detailed outline of the process for producing this product is provided in figure 2.

DBM has the ability to induce the formation of bone even in non-osseous tissues within 4 weeks. (Strates; Urist; Lasa). The standard technique for determining the activity of DBM is to implant it subcutaneously or intramuscularly. (Nathan). It is believed that the major active

factor in DBM is one or more bone morphogenetic proteins (BMP), (see U.S. Patent 4.294.753. herein incorporated by reference). Other growth factors, including but not limited to TGF-beta, (see U.S. Patent No. 5.422,340. herein incorporated by reference), platelet derived growth factor (PDGF), and the like, may be important for this function also.

5

Bioglass® is a bone grafting material which is a SiO<sub>2</sub>, Na<sub>2</sub>O, CaO, P<sub>2</sub>O<sub>5</sub> glass which has the ability to produce a bio-active surface layer of hydroxyapatite carbonate within minutes of implantation. (Hench).

10 Two problems are associated with the use of DBM or Bioglass. Both of these materials are supplied as large particles, and do not always stay in the area into which they are implanted. (Scarborough; Frenkel). Also, due to their coarse nature, they are hard to mold and handle in the operating room. Accordingly, there is the need for a product which does not allow for particle migration, while also being easier to use in the operating environment.

15

As noted in table 1, in recent years, several bone-filling surgical pastes have become commercially available. These products range from simple mixtures of saline with a sand-like powder to a recently released gel, known as GRAFTON®, a glycerol-based, non-cross-linkable composition. All of these products are used in orthopedics to repair bone defects, such as voids, cavities, cracks etc. Such defects may be the result of trauma or may be congenital, and the known pastes may be used to patch or fill such defects, or build upon existing bony structures. The ultimate goal of such treatments is that the paste will induce bone formation to replace the paste while retaining the form created by the surgeon when applying the paste.

20

Desirably, a bone paste would be osteoconductive (i.e. it conducts bone cells into a region) and osteoinductive (i.e. stem cells are induced to differentiate into bone forming cells which begin production of new bone). In general, bone pastes known in the art are osteoconductive, with only weak osteoinductive effects. Accordingly, such known pastes are inadequate for filling of large voids and frequently do not effect proper bone formation even in small voids. All currently available bone pastes, including those that exhibit some osteoinductive activity, are difficult to handle, do not adequately remain at the site of implantation, or both.

25

30

Thus, one commercially available product, GRAFTON®, (see U.S. Patent No. 5,484,601) is a non-cross-linkable composition of demineralized bone powder suspended in a polyhydroxy compound (e.g. glycerol) or esters thereof, optionally including various other ingredients, including gelatin. It is considered likely that this material is rapidly washed away from the  
5 implant location as the carrier matrix is glycerol, which is water soluble.

U.S. Patent Nos. 5,236,456 and 5,405,390 (O'Leary and Prewett) outline an "osteogenic" gel composition which is made from demineralized bone matrix (DBM) by treating with concentrated acid (3 M HCl) and heating to between 40 and 50°C. The patent briefly  
10 describes mixing the gel with DBM and several other components. However, the method of manufacturing the gel composition is such that it produces mostly collagen fibers (i.e. the temperature elevation is insufficient to produce gelatin). As a result, the collagen fibers are not soluble in neutral solutions. To obtain a gel, the patent specifies that the collagen must be dissolved in acid of low pH (e.g. HCl or 1% acetic acid, at a pH of less than 4.0).

15 However, compositions of low pH are not typically very compatible with biological implantations. It is also noted that at column 5, line 20, and column 6, line 15, it is specified that the temperature at which the gel solidifies is 0-5°C, which precludes gelation *in vivo*.

U.S. Patent No. 4,440,750 (Glowacki and Pharris) outlines a standard enzymatic technique for extracting collagen from tissue using Pepsin. A highly refined collagen is obtained from  
20 animal sources, which is then reconstituted prior to forming the working composition. The collagen will not readily cross-link without the addition of other chemicals (e.g. aldehydes, chondroitin sulfate), which they do not specify in the composition. There is no mention of a set temperature or any reference to cross-linking behavior.

25 In U.S. Patent Nos. 4,394,370 and 4,472,840, (Jefferies), complexes of reconstituted collagen with demineralized bone or solubilized bone morphogenetic protein, optionally cross-linked with glutaraldehyde, were reported to be osteogenic when implanted *in vivo*. The reconstituted collagen of these patents is pulverized, lyophilized, microcrystalline collagen which has been dialyzed to remove the hydrochloric acid used in collagen preparation.

30 Accordingly, the composition of those patents does not involve the conversion of collagen to gelatin prior to formation of the composition. Hence, the composition would not exhibit the thermal cross-linking behavior of the instant composition.

In U.S. Patent No. 4,678,470 (Nashef *et al.*) disclosed a non-resorbable bone-grafting material comprising demineralized bone matrix that had been cross-linked by treatment with glutaraldehyde, or like cross-linking agent, suspended in a gelatinous or semi-solid carrier.

Given that the demineralized bone of that patent is chemically cross-linked, its bone inductive  
5 properties are considered to be destroyed and the composition essentially forms a structural filler or matrix into which recipient bone may grow.

In WO 89/04646 (Jefferies), a bone repair material having good structural strength was disclosed. The material comprised a demineralized bone matrix which had been surface  
10 activated by treatment with glutaraldehyde or like cross-linking agent to increase the binding thereof to biocompatible matrices. The resulting material has such a rigid structure that, prior to implantation into a biological recipient, the material may be machined.

In U.S. Patent Application Serial No. 08/816,079, a bone paste comprising gelatin and  
15 demineralized bone matrix was disclosed. In that disclosure, the gelatin carrier matrix was not subjected to dehydrothermal cross-linking, as is the case for the instant ateliopeptide collagen carrier matrix.

The thermally sterilized bone paste of the present invention meets the needs in the art by  
20 providing a new material that is easy to handle and store, which adheres to the site of implantation, depending on the specific embodiment used, displays both osteoconductive and osteoinductive activities, it thermally cross-links at a concentration of between about fifteen to about nineteen weight percent at 38°C, as compared to the "Bone Paste" of U.S. Application Serial No. 08/816,079, which thermally cross-linked at between about twenty and  
25 forty-five weight percent, and is substantially bioabsorbable. Further, as compared with the "Thermally Sterilized Bone Paste" of U.S. Application Serial No. 09/014,519, the thermally sterilized bone paste of this invention is produced by a novel process including gamma irradiation, autoclaving, and blending with constituents by a novel process that permits commercial grades of gelatin to be processed for human or animal implantation.

30

Preferably, the composition of this invention is provided as a gel which contains mineral and protein components which have been clinically shown to induce rapid bone ingrowth. The

composition may be delivered to the surgeon in a pre-loaded syringe, ready for use. Preferably, at a first temperature, the gel is easily formable into any shape, and is adhesive. Once inside the biological milieu, or at a second lower temperature, the gel desirably hardens as a rubbery solid, which does not wash away or migrate from the site of implantation. Upon  
5 ingrowth of bone, the implant material becomes completely incorporated into the biological system. The mode of making and using this composition is set forth in detail below.

#### Brief Summary of the Invention

- 10 A thermally sterilized bone paste useful in the orthopaedic arts, for example in the repair of non-union fractures, periodontal ridge augmentation, craniofacial surgery, implant fixation, arthrodesis of spinal or other joints, including spinal fusion procedures, or any other procedure in which generation of new bone is deemed necessary, is provided by a composition comprising gelatin and additional osteogenic components. The gelatin is preferably thermally  
15 cross-linked at about 38°C, at a gelatin concentration of between about 11-30%, and preferably at between about 15%-19% (w/w), and the osteogenic components are selected from:
- (i) demineralized bone, preferably derived from the species into which the thermally sterilized bone paste is to be implanted; or
  - 20 (ii) bioactive glass ceramic, BIOGLASS®, bioactive ceramic, calcium phosphate ceramic, hydroxyapatite, hydroxyapatite carbonate, corraline hydroxyapatite, calcined bone, cortical bone chips, cancellous bone chips, tricalcium phosphate, like material, or mixtures thereof; or
  - (iii) bone morphogenetic protein, osteogenic proteins or peptides (e.g. osteogenin, p15,  
25 CDMP, and the like), TGF-beta, bone marrow extracts, vascular proliferation or regeneration growth factors, PDGF, or mixtures thereof, natural or recombinant; or
  - (iv) mixtures of (i)-(iii).

Where present (ii) or like material is included to enhance the range of manipulable  
30 characteristics of strength and osteoinduction exhibited by the composition, and may comprise between about 0-60%, including about 40%, of the mass on a weight basis of the composition.



Where present, (iii) reduces the need for demineralized bone, which otherwise provides a source of osteoinductive factors.

5 Demineralized bone has been shown to be highly effective in inducing bone formation. The gelatin provides a cross-linkable, adhesive and easily manipulated matrix in which the osteoconductive and osteoinductive elements of the composition are carried. Other factors, such as antibiotics, bone morphogenetic or other proteins, whether derived from natural or recombinant sources, wetting agents, glycerol, dextran, carboxymethyl cellulose (CMC), growth factors, steroids, non-steroidal anti-inflammatory compounds, or combinations thereof  
10 or any other material found to add to the desirable properties of the essential composition of this invention may be included.

The composition may be freeze-dried or pre-constituted, and may be provided in a convenient dispensing device, such as a pre-loaded syringe. The gel is preferably in a liquid or highly  
15 malleable state at temperatures above about 40°C, but sets up as a hard gel at or preferably slightly above the body temperature of the organism into which it is implanted (e.g. at 38°C in humans).

#### Brief Summary of the Figures

20

Figure 1 is a chart of existing bone grafting materials.

Figure 2 represents a bone demineralization process.

Figure 3 is a graph of the kinematic viscosity (centistokes) versus concentration (%) for gelatin thermally sterilized or not thermally sterilized in a dry state, followed by  
25 dissolution in water and measurement of the kinematic viscosity.

#### Detailed Description of the Invention

It will be appreciated by those skilled in the art that the specifics of the composition of this  
30 invention, its method of preparation and use are applicable to such compositions for use in any vertebrate species. Nonetheless, because human use is considered likely to be the

principal orthopedic application of this new material. the following description concentrates on exemplifying this material for human applications.

The composition of this invention comprises gelatin and additional osteogenic components.

- 5 The gelatin is preferably thermally cross-linked at about 38°C. at a gelatin concentration of between about 11-30%. and preferably at between about 15%-19% (w/w), and the osteogenic components are selected from:
- (i) demineralized bone, preferably derived from the species into which the thermally sterilized bone paste is to be implanted; or
  - 10 (ii) bioactive glass ceramic, BIOGLASS®, bioactive ceramic, calcium phosphate ceramic, hydroxyapatite, hydroxyapatite carbonate, corraline hydroxyapatite, calcined bone, cortical bone chips, cancellous bone chips, tricalcium phosphate, like material, or mixtures thereof; or
  - (iii) bone morphogenetic protein, osteogenic proteins or peptides (e.g. osteogenin, p15, 15 CDMP, and the like), TGF-beta, bone marrow extracts, vascular proliferation or regeneration growth factors, PDGF, or mixtures thereof, natural or recombinant; or
  - (iv) mixtures of (i)-(iii).

20 The composition is fluid at a first temperature (e.g., above 38°C) and becomes thermally cross-linked at or just above a second temperature, corresponding to the normal body temperature of the organism into which the composition is to be implanted (e.g., at 38°C in humans).

25 The terms "thermally cross-linked" or "thermally cross-linkable" are used herein to describe the property of a composition which contains molecules which, at or below a given temperature and concentration, associate in such a fashion as to result in gelation of a solution containing these molecules.

30 The term "thermally sterilized" is used herein to indicate that a material has been treated under such conditions of temperature as are generally recognized in the art to render a material sterile (i.e. devoid of living organisms). For example, the standard procedure of "autoclaving" a material occurs in a sealed chamber into which steam is pumped to such a pressure that the

temperature within the chamber reaches approximately 121°C. Treatment of twenty minutes under such conditions is generally recognized as being sufficient to surface sterilize an object, with longer periods being required, depending on the volume of an object or liquid, through which heat is to be transferred. Other conditions of dry heat (i.e. absent steam) are also generally acknowledged as producing a sterile environment, as in, for example, approximately 5 121-130°C of dry heat for from about five minutes to about six hours. Once again, considerations of time of exposure are required in order to achieve a sterile field. In any event, this term as applied to the composition of this invention does not require that the material described as "thermally sterilized" remain in a sterile state. In other words, the 10 material may be implanted, in which case it would preferably remain sterile, or it may be left exposed on a shelf in an open and contaminated state, and yet still have been "thermally sterilized". It is the physical characteristics of the thus-treated material (i.e. molecular weight and solution behavior, as revealed by the kinematic viscosity), that is critical, rather than the state of being sterile or not. According to this disclosure, treatment of a dried gelatin 15 composition for approximately 5 minutes to about 18 hours, and preferably between about 3-6 hours at between about 121°C to 130°C is considered to come within the meaning of the term "thermally sterilized".

The term "substantially bioabsorbable" is used herein to describe the property of a material 20 which is no longer detectable at the site of implantation or has been remodeled at that site to create endogenous tissue after a reasonable period of biological resorption, such as three months to a year later. Accordingly, for example, demineralized bone matrix which has been chemically cross-linked with an agent such as glutaraldehyde, is not considered to be substantially bioabsorbable. However, demineralized bone matrix itself, gelatin, and bone 25 morphogenetic factors are all considered to be substantially bioabsorbable as they cooperate in new bone formation, rather than purely providing structural rigidity or support, without being remodeled into new, endogenous tissue.

The gelatin acts as a carrier phase and has the ability to thermally cross-link over a very small 30 temperature range. This thermal cross-linking reaction is largely controlled by physical entanglement and hydrogen bonding between chains, and so is dependant on concentration and temperature. (Sperling). Additionally, since gelatin has been used extensively in the

medical market. its *in vivo* properties are thoroughly studied. (McDonald). The gel-foam sponge is the most familiar application of this biopolymer. Studies have indicated that gelatin is only mildly antigenic upon implantation, and is comparable in some of its properties to collagen, (McDonald). However, collagen does not exhibit the thermal cross-linking property so important to the composition of this invention.

Where present, the bioactive glass, such as BIOGLASS®, bioactive ceramic, calcium phosphate ceramic, hydroxyapatite, hydroxyapatite carbonate, calcined bone, tricalcium phosphate, or like material, is included to enhance the range of manipulable characteristics of strength and osteogenesis (osteinduction and osteoconduction) exhibited by the composition.

The manufacture of gelatin is based on the partial hydrolysis of collagen. Collagen is available from skin, bone, cartilage, tendon and other connective tissue. Skin and bone yield Type I and Type III collagen molecules, while tendon yields nearly pure Type I collagen, and cartilage yields a mixture of Type II and rarer types of collagen molecules. Gelatin molecules resemble collagen triple helices, however, they are partially hydrolyzed. As a result, in solution they have little organization. But, as the solution cools, the gelatin molecules begin to form helical structures. As the solution cools further, the viscosity increases and a phase transformation from a solution to a gel occurs. This phase change is reversible when heat is added.

The set time and set temperature of a gelatin solution are dependent on the concentration of gelatin in solution, the molecular weight, or intrinsic viscosity, of the gelatin molecules, and the pH of the solution. At the isoelectric point, or the pH at which the gelatin molecules are electrically neutral, the set time is the shortest.

Collagen can be partially hydrolyzed by several methods. The Type A process is the simplest and most rapid process, in which dilute acid (e.g. less than 1 M HCl) is used to partially hydrolyze the collagen. Type A processing is generally used with porcine skin and demineralized bovine bone. The Type B process uses an alkaline solution to partially hydrolyze the collagen. Type B processing is generally used with bovine hide and

demineralized bovine bone. Finally, enzymes, such as pepsin, may be used to partially hydrolyze collagen. Pepsin preferentially cleaves peptide bonds between aromatic amino acids. In collagen, treatment with pepsin converts native collagen, which contains telopeptide, to atelopeptide material, which reduces the level of interchain disulfide bonding that can occur in the collagen tertiary structure.

As one example of this method, the gelatin is prepared from the bones of the species into which the compositions are to be implanted, by crushing and defatting the bones followed by demineralization in 0.5 N HCl and then soaking for about 24 hours in approximately 300 mg/L pepsin in a 0.5 M acetic acid at 33°C. We have discovered that the yield of gelatin is enhanced by conducting two such extractions, one at about 30°C, and a second at about 33°C, and then pooling the product. The pH of the resulting solution is brought to about 7.0 with sodium hydroxide to denature the pepsin. The temperature of the solution is raised to between about 60-65°C for about 12 to 30 minutes and returned to 19-20°C, or like temperature at which the gelatin remains soluble, to effect denaturation of remaining collagen and complete conversion to gelatin. The resulting solution is filtered to remove particulates and dialyzed or diafiltered against distilled water for 48 hours in a 30K-100K molecular weight cut-off (30K-100K MWCO) dialysis or diafiltration membrane.

In one embodiment of this invention, the gelatin thus produced is next lyophilized, preferably in sealable vials. The vials are filled (i.e. the vacuum is replaced) with a dry, inert gas, such as nitrogen, argon or the like, sealed, and then autoclaved (or otherwise heated, for example in a dry oven, to about 121-130°C), in the sealed environment. This treatment has been found to increase the kinematic viscosity of the gelatin upon subsequent solubilization, permitting a lower effective concentration of the gelatin to be used in the bone paste to achieve gelation at about thirty-eight degrees centigrade, than has heretofore been possible. Depending on the level of moisture permitted to remain in the sealed environment, the level of increase in kinematic viscosity, measured subsequently, can be controlled in a dose-dependent fashion (the increase in viscosity is quenched by humidity). After lyophilization and thermal treatment, the gelatin is redissolved in phosphate buffered saline (PBS) or water to a sufficiently high effective concentration such that a final composition comprising from about 11-19%, and preferably about 15-19% (w/w) gelatin may be produced. The improved

result of this process is that the thus-treated gelatin sets-up as a gel at the effective gelatin concentration of about 15-19 weight percent, as opposed to 20-45 weight percent without such treatment. This distinction is clearly evident from the differences between the kinematic viscosity of gelatin produced as described above, with and without thermal treatment of the lyophilized material. The viscosity is higher and set temperature lower for the thermally treated material for the same concentration of gelatin when subjected to the lyophilization (or other form of drying and moisture reduction) and thermal cross-linking, than when such treatment is not conducted.

10 In a further embodiment of this invention, a commercially available grade of gelatin, such as porcine gelatin, is utilized in the manufacture of the Bone Paste. Commercial grades of porcine gelatin are well known in the production of medicinal capsules and the like, and have also been used to produce a product known as GELFOAM®, an insoluble matrix used in hemostatic applications. In this aspect of this embodiment, high-quality, commercially-available porcine gelatin, such as, for example, 250 to 300, including about 275 bloom commercial grade porcine gelatin available from DynaGel, Inc., (Plummer St. & Wentworth Ave., Calumet City, IL 60409), Vyse Gelatin Company, (5010 North Rose Street, Schiller Park, IL 610176), or the like, is purchased, packaged in an appropriately resistant packaging or double packaging, and is then sterilized by exposure to an appropriate dose of sterilizing radiation. For example, exposure to between about 2-3 MRad of Co<sup>60</sup>, or an equivalently sterilizing dose of radiative exposure from another gamma radiation source. Following gamma irradiation, the gelatin is autoclaved under standard autoclave conditions known in the art. Subsequent to these treatments, the packaging of the sterilized gelatin is checked for integrity.

25 Prior to further processing, the sterilized gelatin is removed from the sterile packaging, and is ground to a particle size of about 1.5 mm or less, in a sterile grinder or blender. Subsequent to such grinding, the gelatin particles are intimately mixed with demineralized bone matrix (DBM), and the resistance of the blend to dissolution in an aqueous solvent at a given desired set-temperature is confirmed. Thus, for example, if the mixture is to be implanted in a human, resistance of the blend to dissolution in water or saline heated to approximately thirty-eight degrees centigrade is confirmed. If dissolution occurs, more gelatin is added to the

formulation to ensure that the mixture is a solid at the desired set-temperature. According to this aspect of the invention, it is preferred for the DBM to be present at between about 1% to about 37%, and preferably about 24-33%. unless bone morphogenetic proteins (BMP's) or other osteogenic growth factors are present in the mixture, in which case the DBM concentration may be lowered. The gelatin is preferably present at between about 12-30%, depending on the desired set-temperature.

Subsequent to blending with DBM, if present, the composition is mixed with a sterile calcium-phosphate composition, such as hydroxyapatite, or more preferably, with sterilized cortico-cancellous bone chips. Since corticocancellous chips are only about 30-40% solid material, with the remainder of the volume thereof being void space, on a volume basis, a composition comprising about 100% (v/v) corticocancellous chips, with the 60-75% (v/v) of the composition being comprised of the gelatin/DBM or gelatin/BMP or other growth-factor blend, to form the final thermally sterilized bone paste composition of this invention.

Subsequent to blending, the radiatively and thermally sterilized bone paste composition described above is subjected to a further consistency check, to ensure resistance to dissolution of the bone paste composition in aqueous solution at a temperature at or below the desired set-temperature. The criticality of this aspect of the invention being that upon implantation, if the composition were to immediately liquefy at physiological temperature, the effectiveness of the composition in inducing osteogenesis is reduced by too-rapid dissolution of the composition. In the event that the final composition does not remain solid at the desired set-temperature, increased concentrations of the gelatin are added to ensure solid setup of the composition at the desired temperature.

According to the method of producing the composition of this invention, the gelatin may be derived from the same or different species than that into which the composition is to be implanted. For example, human, porcine, bovine, fish, equine, feline, or canine gelatin is derived from collagen sources such as bone, skin, tendons, or cartilage, and may then be mixed with DBM or other osteogenic (osteoinductive or osteoconductive) materials. As noted above, the collagen is converted to gelatin via, liming, acidification or by enzymatic extraction, for example by pepsin or like enzymatic treatment, followed by denaturation by

heat or other means. The gelatin may be derived from tissue by mastication of the tissue, followed by an extended treatment capable of breaking cross-links in the long collagen chains.

In one embodiment, the tissue is ground then soaked for about 24-72 hours at between about 2-40°C in dilute acid, such as 0.1 normal acetic acid. Preferably, an enzyme such as pepsin  
5 at a sufficiently high concentration is added. Pepsin concentrations of between about 10-20,000 i.u./liter, 100-2,000 i.u./liter, or like concentrations are added to the dilute acid at the start of the treatment, with the period of treatment being adjusted according to the enzyme concentration used. Solids are removed from the composition, for example by centrifugation, and the supernatant material in solution having a molecular weight of about 50,000 daltons  
10 or higher is retained. This may be achieved by any of a number of methods known in the art including, but not limited to, dialyzing the supernatant in a 50,000 dalton molecular weight cut-off membrane against several changes of solution, ultrafiltration against a membrane having a like molecular weight cut-off, (MWCO) or gel permeation chromatography through a medium having a 50,000 dalton molecular mass cut-off. It will be recognized by those  
15 skilled in the art that the higher the MWCO of the gelatin, the lower the yield. Accordingly, lower MWCO gelatin preparations, down to about 1000 dalton MWCO's could be used, recognizing that undesirable low molecular weight species might thereby be retained. Once again, the inclusion of the lyophilization and thermal cross linking disclosed above increases the yield of higher-molecular weight material.

20 In one embodiment of the invention, the gelatin solution resulting from the foregoing extraction is denatured, for example by heat-treatment to above about 50 to 65°C. The denatured protein is then dried and subjected to an inert-gas, thermal cross-linking step described above. Thereafter, the gelatin may be stored in a dry state, or reconstituted with  
25 physiologically acceptable solutions and stored in a frozen state or it may be freeze-dried after reconstitution or it may be precipitated, for example in a volatile organic solvent, and reconstituted in a solution, such as an isotonic saline solution, at a concentration of between about 15-19% (w/w) gelatin.

30 The demineralized bone is preferably in a powdered form, and is preferably composed of particles in the size range between about 80-850  $\mu\text{m}$  in diameter. Methods for producing demineralized bone powder are known in the art (see for example U.S. Patent No. 5,405,390,



herein incorporated by reference for this purpose), and are not, therefore, elaborated here. Demineralized bone powder, extracted by standard techniques, is mixed with the gelatin solution prepared as described above, to form a composition comprising about 1-40% (w/w) demineralized bone powder. Where present, bone morphogenetic proteins (BMP) reduce the percentage of DBM required in the composition. The BMP is preferably present at a concentration of between about 0.0001 to 10 mg/ml, 0.001 mg/ml to 4 mg/ml, or like concentration, depending on the amount of DBM present (1-40% w/w).

In certain embodiments of this invention, and for particular orthopaedic applications in which strength of the bond formed by the thermally sterilized bone paste is important, addition of a bioactive glass is preferred. When added, the bioactive glass lowers the adhesiveness of the composition, but increases the stiffness of the composition upon setting. Accordingly, a bioactive glass, such as BIOGLASS® having a diameter of between about 0.5-710  $\mu\text{m}$ , is added to the gel/demineralized bone composition. In addition, a composition comprising between about 0-40% (w/w) of bioactive glass with the gelatin forming about 11-19% (w/w) of the composition is also contemplated.

Compositions prepared as described above are easily extruded from a syringe, particularly when the temperature is elevated to above about 40°C, for example by immersion in a water bath, by limited treatment in a microwave, by placement in a syringe warmer, or any of a number of other methods for heating the container. The extruded gel is resilient, sticky and easily formable into any desired shape. In addition, the composition retains its strength and is poorly soluble in saline or water once it sets-up.

Accordingly, having generally described the composition of this invention, and taking into account the specifics of the exemplary support provided below, the following guidelines for the preparation and use of the composition of this invention are provided:

The gelatin from DBM should be prepared at a temperature between about 30 and 37°C. While the yield is higher (60%) at 37°C, the quality, based on measured kinematic viscosity, is slightly lower than that produced at 30°C. Preferably, the gelatin is produced by limited exposure of collagen to an enzyme, such as pepsin, or like enzyme. A concentration of pepsin

set at 300 U/L-500 U/L works well. but those skilled in the art will recognize that a wide range of enzyme concentrations could be tested. based on what is disclosed herein. Those skilled in the art will recognize that acid or alkaline processing of skin and tendon may be an alternative to the pepsin technique.

5

The final composition preferably comprises gelatin solution having a viscosity of about 3600 centipoise or higher at 44°C (when measured in the linear range of a viscosity/sheer rate plot - 0.87/s). or a kinematic viscosity of about 0.7 centistokes at 44°C. The concentration of the gelatin in the carrier phase (i.e. absent added osteogenic components) is preferably about 15-10 19% (w/w), to ensure that gelation at 38°C will occur in a reasonable amount of time. Naturally, those skilled in the art will recognize that, depending on the species of the organism into which the composition is to be implanted, different temperatures may be required. These needs are accommodated by altering the gelatin concentration, increasing the concentration if a higher gel temperature is desired, and lowering the concentration if a lower gel 15 temperature is desired.

The DBM content of the composition is defined herein by the concentration required to obtain bone formation similar to that seen with DBM alone. We have found that about 5-40% (w/w) DBM in the composition is effective. Anything lower than about 5% seems to do very little 20 by way of bone formation, unless added BMPs (component iii) are present in the composition, in which case the DBM concentration may be substantially reduced or eliminated altogether. Naturally, based on this disclosure, those skilled in the art will recognize that by addition of different concentrations and compositions of bone morphogenetic proteins or other osteogenic or osteoinductive factors, the weight percent of DBM in the composition may be manipulated 25 up or down. In addition, it will be recognized that, depending on the species into which the composition is implanted, the DBM weight percent may need to be adjusted up or down.

We have found in *in vivo* studies that the compositions with DBM contents from 15 to 33% all produce calcified tissue. We have found that there is a good correlation between the 30 amount of DBM in the composition and the level of bone induction, as long as the DBM concentration is greater than about 19% (w/w). About 38-40% (w/w) is the upper mass limit

for DBM. Accordingly, 1-40% (w/w) DBM, and more preferably 5-30% (w/w), 7-33%(w/w) or 15-25% (w/w) is desirable for this component.

5 We have observed histologically that, subsequent to implantation into an animal, the gelatin phase is totally absorbed within about 2 weeks. Additionally, cartilage and mineralized bone formed within two weeks, with mature bone being evident by about the fourth week. The animals in these studies did not exhibit any gross health problems or any indications of irritation, hematoma, soreness, fever, or weight loss during the study.

10 The composition according to this invention, whether it comprises gelatin and osteogenic components (i-iv) may act as a carrier for cortical, cancellous or cortical and cancellous bone chips. Such compositions are useful for filling larger bone voids. In addition, when these bone chips are not demineralized, they provide an added spectrum of biological properties not exhibited by the gelatin alone or the gelatin plus osteogenic components (i-iv). When present,  
15 it is preferred for such bone chips to be in the size range of about 80  $\mu$ m to about 10 mm.

In a further embodiment of this invention, the composition of gelatin and osteogenic components (i-iv) is injection molded, vacuum molded, rotation molded, blow molded, extruded or otherwise formed into a solid form. Such forms would desirably take the form  
20 of vertebral disks, acetabular hemispheres, formable inserts for repairing acetabular cup defects, tubes, ellipsoid shapes for void filling, and intramedullary plugs, which are useful to plug the intramedullary canal of various bones (i.e. the marrow containing portion of the bone) to prevent bone cement from entering healthy bone tissue. These forms are produced, for example, by raising the temperature of the composition above its liquefaction temperature  
25 (e.g. about 45°C), and allowing the composition to gel in a mold of appropriate shape. For such forms, the gelatin content is preferably made as high as possible to ensure that the form remains solid upon grafting into a vertebrate recipient.

30 Having described the composition of this invention and the method of its preparation, the manner of using the composition is next set forth. Methods of use of the composition include extrusion, via injection, or molding, either by hand or mechanically, to produce appropriately shaped implants, either *in vivo* or *ex vivo*, with subsequent implantation into a desired

implantation site. The composition may be directly applied to the site of non-union fractures, injected between vertebrae that are to be fused, molded into any physiologic shape desired and applied in any orthopedic context in which osteoconduction, or osteoinduction is desired. The composition may likewise be used to coat allograft, autograft, xenograft, metallic, synthetic  
 5 bioabsorbable or any other type of implant to enhance the osseointegration of the implant and osteoconduction and osteoinduction around the implant. This use of the bone paste composition of this invention is particularly useful for porous implants.

Having generally described the invention, the following examples are provided to show  
 10 specific features and applications of the invention. It should be recognized that this invention is in no way limited to the specifics of the examples as set forth below, and that the limits of this invention are defined by the claims which are appended hereto.

Example 1:

15 Procedure for Definition of the Set Temperature of the Thermally Sterilized Bone Paste:

In this procedure, the set temperature of the thermally sterilized bone paste is defined. An aliquot of the matrix stored in a frozen state was thawed at approximately 45°C and then drawn into a syringe. The aliquot was then syringed into a tube which is equilibrated at 38°C  
 20 for 15 minutes. Another aliquot was syringed into a vial of distilled water equilibrated at 38°C and allowed to sit for 15 minutes. After this period of time, both aliquots of the matrix were solid and there was little or no dissolution of the matrix into the distilled water.

Example 2:

25 Method for Defining the Concentration of Gelatin in the Thermally Sterilized Bone Paste:

For each composition, a matrix is established as follows:

	Gelatin(g)	DBM(g)	Water(g)
	0.15	0.33	0.52
30	0.17	0.33	0.50
	0.19	0.33	0.48

These masses, in a powder form were placed in a plastic bag or like malleable but liquid impermeable container prior to addition of the indicated mass of water. The bag was sealed and shaken to mix the powders thoroughly. The water was added and the bag resealed. The ingredients were kneaded while the bag was submerged in a water bath set at approximately  
5 42-47°C. and then the composition was tested for set-up at 38°C as described in Example 1.

Example 3:

Comparison of the Osteoinductivity of Grafton® (DBM in glycerol, Osteotech), DBM, and  
10 Thermally Sterilized Bone Paste with Suspended DBM in an Athymic Rat Intramuscular  
Model:

Known masses of commercially available Grafton® (DBM in glycerol, Osteotech), DBM, powdered DBM, and the Thermally sterilized bone paste of this invention in which DBM was suspended were implanted intramuscularly into athymic nude rats according to the model of  
15 Strates and Urist (Urist, *Clin. Ortho. Rel. Res.* 71:271-278, 1970). The osteoinductivity of the DBM included in the thermally sterilized bone paste of this invention and that included in Grafton® were found to be identical in a standard osteosarcoma induction assay. After 21 days, explants were removed and analyzed by X-ray and atomic absorption. This analysis revealed a calcium deposition yield of:  $0.40 \pm 0.17$  g/ml implant for the thermally sterilized  
20 bone paste/DBM composition:  $0.039 \pm 0.094$  g/ml for Grafton®; and  $0.15 \pm 0.072$  g/ml for DBM alone. Therefore, DBM in the composition of this invention yielded a 2.7 fold increase in bone induction than DBM alone, and 10.3 fold the bone induction attributable to Grafton®. All of these differences were statistically significant. In addition, the osteoinductive effect of Grafton® was variable, forming bone in only six of ten implants.  
25 The DBM/thermally sterilized bone paste of this invention induced bone formation in all implants.

Example 4:Thermally Sterilized Bone Paste Production, Kinematic Viscosity, and Critical Concentration for Gelation at 38°C:

5 The kinematic viscosity of porcine gelatin subjected to different heat sterilization treatments (121°C, 6 hours; 130°C, 3 hours; 150°C, 2.5 hours) was compared to the kinematic viscosity of porcine gelatin which had not been subjected to heat sterilization. The lyophilized gelatin samples treated for 3 hours at 130°C required approximately 40-50 minutes to dissolve in sterile water at 55°C, while the lyophilized gelatin samples treated for 6 hours at 121°C  
10 required only about 10 minutes to dissolve in sterile water. The porcine material treated for 2.5 hours at 150°C was not soluble. We found that the kinematic viscosity of the thermally treated porcine samples (121°C and 130°C) increased, as compared with that of the untreated porcine samples. A similar study of human material (121°C, 6 hours), substantially reproduced this result.

15

By way of background, the thermally sterilized bone paste was produced from gelatin extracted from demineralized human cortical bone powder in the size range of 250 - 850  $\mu\text{m}$ , also referred to as demineralized bone matrix powder (DBM), by treatment with 0.5 M acetic acid, and pepsin. The DBM was incubated for from 5 to 24 hours at 30 °C. The supernatant  
20 was retained and the solid material was treated with a fresh solution of acetic acid/pepsin at 33°C for another 5 to 24 hours. The supernatants were combined, and the pH was adjusted to 7.0 with 1 N NaOH, deactivating the pepsin. The solution was pumped at a controlled rate through a tube submerged in a 60°C water bath such that all portions of the solution were subjected to the 60°C treatment for a full 15 minutes, then quenched in ice water. The  
25 solution was centrifuged and the supernatant was either dialyzed or diafiltered against a 30,000 daltons molecular weight cut off membrane. The retentate was then lyophilized. As a control, dry samples were retained without further heat treatment. The remainder of the material was autoclaved in sealed vials that were first evacuated to 100 millitorr and then back-filled with nitrogen, and sealed. The autoclaving was continued for either six hours at  
30 121°C, or the samples were treated for three hours at 130°C.

In figure 3, the results of heat treating four samples of porcine material at 121°C for 6 hours (solid circles), four samples of porcine material at 130°C for 3 hours (open circles), is compared with two samples of untreated porcine material (solid triangles). In addition, one sample of human material treated for 6 hours at 121°C (closed square) is compared with one sample of untreated human material (closed diamond), and a sample of human material treated for six hours at 121°C, but under an atmosphere of moist (about 1% humidity) nitrogen (open diamond).

The kinematic viscosities of dilute concentrations of the thus treated materials (0.5%, 0.25%, 0.125%, 0.0625% in phosphate buffered saline solutions (pH 7.4 at 25°C), were measured with an Ubbelohde viscometer at 44 °C. The kinematic viscosities (centistokes) were graphed versus concentration, figure 3. The linear regression was extrapolated to zero to determine the kinematic viscosity at zero concentration.

To determine the set temperatures for various thermally sterilized bone paste compositions, gelatin concentrations were varied from 15 w/w% of total composite to 19 w/w% of total composite in water. All thermally sterilized bone paste composites tested contained DBM at a concentration of 33 w/w% of the total composite. Different ambient temperatures were used to test whether the thermally sterilized bone paste was solid or liquid, 45°C, 43°C, 41°C, 40°C, 38°C, and 35.5°C. The set temperature was determined both by subsequent lowering of the ambient temperature and raising of the ambient temperature. The critical concentration of gelatin in a thermally sterilized bone paste composite that was solid at slightly above human body temperature, 38°C to 39°C, was 15 w/w% -19 w/w% of the total composite for human gelatin, processed at 33°C, and with 33 w/w% of the composite being DBM, the remainder being PBS or water. The human gelatin processed at 33°C had a zero concentration kinematic viscosity of 0.65 centistokes. Human gelatin solutions of lower kinematic viscosities were found to have critical concentrations in excess of about 19 w/w%. Correspondingly, gelatins with viscosities higher than about 0.65 centistokes are expected to thermally cross-link at concentrations lower than about 15% (w/w).

Example 5Procedure for the Production of the Thermally sterilized bone paste of this Invention:

This example provides one procedure for the manufacture of bone paste from gelatin and demineralized bone. As fractions of the total mass of composition desired, the following components are weighed (percentages given are of total composite weight):

Dry demineralized bone:	1-40% (w/w)
Lyophilized thermally cross-linkable gelatin:	11-30% (w/w)
10 BIOGLASS®:	0-40% (w/w)
bone morphogenetic protein:	0-10 mg/ml

These components are thoroughly blended while dry, and the balance of the composition mass is made up by addition of water, phosphate buffered saline, or any other physiologically acceptable liquid carrier. The composition may be packaged in this form or lyophilized for later reconstruction with water. The malleable properties of the composition are achieved by heating the composition to a temperature sufficient to exceed the liquefaction point of the gelatin, and then allowing the composition to cool to the temperature at which it gels.

20 Example 6Procedure for Producing a Radiatively and Thermally Sterilized Bone Paste Composition of this Invention:

According to this aspect of the invention, a commercially available grade of porcine gelatin was utilized in the manufacture of the Bone Paste. Porcine gelatin, 275 bloom commercial grade from DynaGel, Inc., (Plummer St. & Wentworth Ave., Calumet City, IL 60409), was purchased, packaged in a sealed double packaging, and sterilized by exposure to 2-3 MRad of Co<sup>60</sup>. Following gamma irradiation, the gelatin was autoclaved under standard autoclave conditions (20 minutes, 121 degrees). Subsequent to these treatments, the packaging of the sterilized gelatin was checked for integrity.



Prior to further processing, the sterilized gelatin was removed from the sterile packaging, and was ground to a particle size of about 1.5 mm or less, in a sterile grinder or blender. Subsequent to such grinding, the gelatin particles were intimately mixed with demineralized bone matrix (DBM) in a sterile sausage-grinder, and the resistance of the blend to dissolution  
5 in an aqueous solvent at 38 degrees centigrade. Compositions containing DBM at concentrations of about 1% to about 37%, including concentrations of about 24-33%, were prepared in this manner. In compositions in which bone morphogenetic proteins (BMP's) or other osteogenic growth factors were added the DBM concentration was reduced to as low as 0%. The gelatin was included in the composition at concentrations between about 12-30%,  
10 depending on the desired set-temperature.

Subsequent to blending with DBM, if present, the composition was mixed with a sterile calcium-phosphate composition, such as hydroxyapatite, or with sterilized cortico-cancellous bone chips. Since corticocancellous chips are only about 30-40% solid material, with the  
15 remainder of the volume thereof being void space, on a volume basis, a compositions were prepared comprising about 100% (v/v) corticocancellous chips, with the 60-75% (v/v) of the composition being comprised of the gelatin/DBM or gelatin/BMP or other growth-factor blend, to form the final thermally and irradiatively sterilized bone paste composition of this invention.

20 Subsequent to blending, the radiatively and thermally sterilized bone paste composition described above was subjected to a further consistency checks, to ensure resistance to dissolution of the bone paste composition in aqueous solutions at a temperature at or below the desired set-temperature.

25 As a result of the foregoing processing, a composition having the following characteristics is produced: a melt-flow-index (MFI) from a one cubic-centimeter BD (Beckton-Dickinson), slip-tip syringe of greater than about 0.00719 g/sec, or greater than about 0.03497 g/sec from a five cubic centimeter BD slip-tip syringe at  $47 \pm 2$  degrees centigrade when  $2644 \pm 1$  gram  
30 of weight is applied to a plunger of a syringe containing said composition. A further characteristic of such formulations is that it does not dissolve within 5 minutes when placed in distilled water at  $38 \pm 0.5$  degrees centigrade.

Implantation of these compositions are anticipated to result in induction of bone formation at the site of implantation.

#### References

- 5  
Cornell, C. *Techniques in Orthopaedics* 1992, 7, 55-63.
- Bloebaum, R. D. *Human Bone Ingrowth and Materials*; Bloebaum, R. D., Ed.: Society for Biomaterials: Denver, CO, 1996.
- Einhorn, T. A. *Enhancement of Bone Repair Using Biomaterials*; Einhorn, T. A., Ed.: Society  
10 for Biomaterials: Denver, CO, 1996.
- Benedict, J. J. *The Role of Carrier Matrices on Bone Induction In Vivo*; Benedict, J. J., Ed.: Society for Biomaterials: Denver, CO, 1996.
- Strates, B.; Tiedeman, J. *European Journal of Experimental Musculoskeletal Research* 1993, 2, 61-67.
- 15 Urist, M. R. *Bone Morphogenetic Protein*; Urist, M. R., Ed.; W. B. Saunders Co.: Philadelphia, 1992, pp 70-83.
- Yazdi, M.; Bernick, S.; Paule, W.; Nimni, M. *Clinical Orthopaedics and Related Research* 1991, 262, 281-285.
- Younger, E.; Chapman, M. *Journal of Orthopaedic Trauma* 1989, 3, 192-195.
- 20 Hardin, C. K. *Otolaryngologic Clinics of North America* 1994, 27, 911-925.
- Senn, N. *The American Journal of the Medical Sciences* 1889, 98, 219-243.
- Urist, M. R.; Huo, Y. K.; Brownell, A. G.; Hohl, W. M.; Buyske, J.; Lietze, A.; Tempst, P.; Hunkapiller, M.; DeLange, R. J. *Proceedures of the National Academy of Sciences, USA* 1984, 81, 371-375.
- 25 Urist, M. R.; Chang, J. J.; Lietze, A.; Huo, Y. K.; Brownell, A. G.; DeLang, R. J. *Methods in Enzymology* 1987, 146, 294-313.
- Lasa, C.; Hollinger, J.; Droham, W.; MacPhee, M. *Plastic and Reconstructive Surgery* 1995, 96, 1409-1417.
- Nathan, R.; Bentz, H.; Armstrong, R.; Piez, K.; Smestad, T.; Ellingsworth, L.; McPherson, J.; Seyedin, S. *Journal of Orthopaedic Research* 1988, 6, 324-334.
- 30 Hench, L. L.; Andersson, O. H. *Bioactive Glasses*; Hench, L. L.; Andersson, O. H., Ed.; World Scientific Publishing Co. Pte. Ltd.: Singapore, 1993, pp 41-63.

- Scarborough. N. *Bone Repair Using Allografts*; Scarborough. N., Ed.: Society for Biomaterials, 1996.
- Frenkel. S. R.; Moskovich. R.; Spivak. J.; Zhang. Z. H.; Prewett. A. B. *Spine* **1993**, *18*, 1634-1639.
- 5 Sperling, L. H. *Introduction to Physical Polymer Science*; John Wiley and Sons. Inc.: New York, 1992.
- McDonald. T. O.; Britton. B.; Borgmann, A. R.; Robb, C. A. *Toxicology* **1977**, *7*, 37-44.
- Culling. C. F. A.; Allison. R. T.; Barr, W. T. *Cellular Pathology Technique*: 4 ed.; Butterworths: London, 1985.
- 10 U.S. Patent No. 5,481,601  
U.S. Patent No. 5,236,456  
U.S. Patent No. 5,405,390  
U.S. Patent No. 4,440,750  
U.S. Patent No. 4,394,370
- 15 U.S. Patent No. 4,472,840  
U.S. Patent No. 4,678,470  
WO 89/04646

Claims

- 1           1.     An implantable bone paste composition comprising thermally sterilized gelatin  
2 as a carrier for substantially bioabsorbable osteogenic components for use in a recipient in  
3 need thereof.
- 1           2.     The bone paste composition of claim 1 when implanted in non-union fractures,  
2 periodontal ridge augmentation, craniofacial surgery, arthrodesis of spinal or other joints,  
3 spinal fusion procedures, and implant fixation.
- 1           3.     The composition of claim 1 wherein the gelatin is thermally cross-linkable at  
2 or slightly above the temperature of the organism into which it is to be implanted.
- 1           4.     The composition of claim 3 wherein said composition gels at about 38°C.
- 1           5.     The composition of claim 3 wherein said gelatin is present at a concentration  
2 of between about 11-19% (w/w) gelatin as a fraction of the weight of the composition.
- 1           6.     The composition of claim 5 wherein the osteogenic component is selected  
2 from the group consisting of:  
3 (i) demineralized bone, preferably derived from the species into which the thermally  
4 sterilized bone paste is to be implanted; or  
5 (ii) bioactive glass ceramic, BIOGLASS®, bioactive ceramic, calcium phosphate ceramic,  
6 hydroxyapatite, hydroxyapatite carbonate, corraline hydroxyapatite, calcined bone,  
7 cortical bone chips, cancellous bone chips, tricalcium phosphate, like material, or  
8 mixtures thereof; or  
9 (iii) bone morphogenetic protein, osteogenic proteins or peptides and the like, TGF-beta,  
10 bone marrow extracts, vascular proliferation or regeneration growth factors, PDGF,  
11 or mixtures thereof, natural or recombinant; or  
12 (iv) mixtures of (i)-(iii).

1           7.     The composition of claim 6 wherein the gelatin, the demineralized bone  
2 matrix, or both are derived from the species into which the bone paste is to be implanted.

1           8.     The composition of claim 7 wherein DBM is present at between about 1-40%  
2 (w/w) of the total composite weight.

1           9.     The composition of claim 8 wherein DBM is present at between about 15-33%  
2 (w/w) of the total composite weight.

1           10.    The composition of claim 6 wherein the bioactive glass is BIOGLASS®.

1           11.    The composition of claim 6 wherein component (ii) is present at between  
2 about 0-60% (w/w) of the total composition mass.

1           12.    The composition of claim 6 comprising antibiotics, bone morphogenetic or  
2 other proteins, whether derived from natural or recombinant sources, wetting agents, glycerol,  
3 carboxymethyl cellulose (CMC), growth factors, steroids, non-steroidal anti-inflammatory  
4 compounds, or combinations thereof.

1           13.    The composition of claim 6 comprising between about 0.0001 to 10 mg/ml  
2 bone morphogenetic protein, natural or recombinant.

- 1           14.    The composition of claim 1 which is a frozen solution or is freeze-dried.
- 1           15.    The composition of claim 1 wherein the gelatin is human, bovine, porcine,  
2    ovine, fish, equine, feline, canine or mixtures thereof.
- 1           16.    The composition of claim 1 wherein the gelatin is derived from human  
2    collagen sources via enzymatic, acid or alkaline extraction.
- 1           17.    The composition of claim 16 wherein said human collagen sources are human  
2    skin, bone, cartilage, tendon, connective tissue, or mixtures thereof.
- 1           18.    The composition of claim 17 produced by:  
2    (a)    treating the collagen source with pepsin at about 30°C, separating a soluble  
3    supernatant from an insoluble residue, and retaining the soluble supernatant;  
4    (b)    treating the insoluble residue with pepsin at about 33°C, separating a soluble  
5    supernatant from an insoluble residue, and retaining the soluble supernatant;  
6    (c)    pooling the thus obtained soluble supernatants;  
7    (d)    heat denaturing the pooled supernatants under controlled conditions to produce  
8    gelatin;  
9    (e)    removing the moisture from the gelatin to produce dry gelatin;  
10   (f)    thermally sterilizing the dry gelatin; and  
11   (g)    mixing a known mass of the dry gelatin with a known mass of osteogenic compound  
12   such that the dry gelatin is present at a final concentration of about 11-19% (w/w).
- 1           19.    The composition of claim 18 wherein the denaturation is achieved by heating to  
2    at least 60°C.
- 1           20.    The composition of claim 19 wherein the gelatin has a molecular weight of  
2    greater than about 50,000 daltons.
- 1           21.    The composition of claim 20 wherein the step of thermally sterilizing the dry  
2    gelatin occurs at between about 121°C to 130°C for between about five minutes and 18 hours.

1           22. The composition of claim 1 wherein the osteogenic component is  
2 demineralized bone matrix in a powdered form, and is composed of particles in the size range  
3 between about 80-850  $\mu\text{m}$  in diameter.

1           23. The composition of claim 22 comprising about 1-40% (w/w) demineralized bone  
2 matrix powder, provided that if the demineralized bone matrix powder is absent, then a bone  
3 growth factor is present at a concentration of at least 0.0001 mg/ml.

1           24. The composition of claim 23 wherein said bone growth factor is  
2 morphogenetic protein, TGF- $\beta$ , osteoinductive factors, osteoconductive factors, or mixtures  
3 thereof, natural or recombinant.

1           25. The composition of claim 6 wherein the bioactive glass is BIOGLASS®  
2 having a diameter of between about 0.5-710  $\mu\text{m}$ .

1           26. The composition of claim 1 further comprising cortical, cancellous or cortical  
2 and cancellous bone chips.

1           27. The composition of claim 26 wherein said bone chips are in the size range of  
2 80 $\mu\text{m}$  to 10 mm.

1           28. The composition of claim 1 which is injection molded, vacuum molded,  
2 rotation molded, blow molded, extruded or otherwise formed into a solid form.

1           29. The composition of claim 28 wherein said form is selected from vertebral  
2 disks, acetabular hemispheres, tubes, ellipsoid, oblong, and "U" shapes for void filling,  
3 intramedullary plug formation, and impaction grafting.

1           30. A method for inducing bone formation *in vivo* in a recipient in need thereof  
2 which comprises implanting an effective amount of an implantable bone paste composition  
3 comprising thermally sterilized gelatin as a carrier for substantially bioabsorbable osteogenic  
4 components.

1           31. The method claim 30 which comprises repairing non-union fractures,  
2 achieving periodontal ridge augmentation, conducting craniofacial surgery, securing implants,  
3 arthrodesis of spinal or other joints, spinal fusion procedures, or impaction grafting, which  
4 comprises implanting said composition at the site *in vivo* in need of such treatment.

1           32. The method according to claim 31 which comprises extruding said  
2 composition from a syringe at a first temperature at which it remains liquid or highly  
3 malleable, and forming a resilient, sticky and easily formable shape from said composition  
4 as it gels at a second temperature at or slightly above the body temperature of the organism  
5 into which it is implanted.

1           33. A method for making an implantable graft which comprises preparing  
2 thermally sterilized composition comprising a thermally cross-linkable gelatin carrier and  
3 suspending therein a substantially bioabsorbable osteogenic component.

1           34. The method of claim 33 wherein said osteogenic component is selected from:  
2 (i) demineralized bone, preferably derived from the species into which the thermally  
3 sterilized bone paste is to be implanted; or  
4 (ii) bioactive glass ceramic, BIOGLASS®, bioactive ceramic, calcium phosphate ceramic,  
5 hydroxyapatite, hydroxyapatite carbonate, corraline hydroxyapatite, calcined bone,  
6 cortical bone chips, cancellous bone chips, tricalcium phosphate, like material, or  
7 mixtures thereof; or  
8 (iii) bone morphogenetic protein, osteogenic proteins or peptides and the like, TGF-beta,  
9 bone marrow extracts, vascular proliferation or regeneration growth factors, PDGF,  
10 or mixtures thereof, natural or recombinant; or  
11 (iv) mixtures of (i)-(iii).

1           35. The method of claim 34 which further comprises injection molding, vacuum  
2 molding, rotation molding, blow molding, extruding or otherwise forming said composition  
3 into the desired form of a solid graft, and allowing the composition to solidify at a temperature  
4 at which the gelatin becomes thermally cross-linked.



1           36. The method of claim 35 wherein said form is selected from vertebral disks,  
2 acetabular hemispheres, tubes, ellipsoid, oblong, and "U" shapes for void filling,  
3 intramedullary plug formation, and impaction grafting.

1           37. The method of claim 35 which comprises raising the temperature of the  
2 composition above its liquefaction temperature and allowing the composition to gel in a mold  
3 of appropriate shape.

1           38. The method of claim 33 wherein the composition is thermally sterilized by  
2 treatment of the dry gelatin at between about 121°C to 130°C for between about 5 minutes to  
3 about 18 hours, prior to suspending therein a substantially bioabsorbable osteogenic  
4 component.

1           39. The bone paste composition of claim 1 wherein said gelatin is sterilized by  
2 exposure to a sterilizing dose of gamma irradiation.

1           40. The composition according to claim 39 comprising, on a volume basis, 60-  
2 75% of component (a), and between 0-100% on a volume basis, of component (b), which, if  
3 present, because of the substantial void volume thereof, completely absorbs any volume  
4 contribution of component (a), wherein component (a) comprises:  
5           about 11-30% (w/w) gelatin, 24-33% (w/w) demineralized bone matrix, with the  
6           balance being made of water or an aqueous solution;  
7 and wherein component (b) comprises aseptic corticocancellous bone chips.

1           41. The composition according to claim 40 wherein component (a) comprises  
2 between about 15-19% gelatin.

1           42. The method according to claim 33 comprising exposing said gelatin to a  
2 sterilizing dose of gamma irradiation.

1           43. The method according to claim 42 wherein said gelatin is thermally sterilized  
2 by autoclaving the gelatin.

1           44.    The method according to claim 43 wherein said gelatin is a commercially  
2 available grade of porcine gelatin.

1           45.    The method according to claim 44 wherein said gelatin has a bloom number  
2 of between about 250 and 300.

1           46.    The composition according to claim 1 having a melt-flow-index (MFI) from  
2 a one cubic-centimeter BD slip-tip syringe of greater than about 0.00719 g/sec, or greater than  
3 about 0.03497 g/sec from a five cubic centimeter BD slip-tip syringe at  $47 \pm 2$  degrees  
4 centigrade when  $2644 \pm 1$  gram of weight is applied to a plunger of a syringe containing said  
5 composition.

1           47.    The composition according to claim 1 wherein said composition does not  
2 dissolve within 5 minutes when placed in distilled water at  $38 \pm 0.5$  degrees centigrade.

1           48.    A method of enhancing the osteoconductivity, osteoinductivity or  
2 osseointegration activity of an implant which comprises coating said implant with the  
3 composition of claim 1.

1           49.    An implant coated with the composition of claim 1.


Selected Bone Grafting Materials					
Graft Material	Category	Physical Form	Distributor	Notes	
Collagraft	conductive	Paste of Collagen TCP and HA	Zimmer	Inappropriate for large grafts. HA not resorbable. Expensive.	
Norian	conductive	Reactive Paste which solidifies	SRS	New, interesting results, so far. Inappropriate for large grafts	
Corraline HA	conductive	Calcined Coral 'Foam' of HA	Interpore	Good mechanical properties, difficult handling.	
Powdered HA	conductive	Particulate HA. in a variety of presentations	Numerous	Problems with migration from implant site. Not resorbable.	
Bioglass	conductive	SiO <sub>2</sub> , Na <sub>2</sub> O, CaO, P <sub>2</sub> O <sub>5</sub> glass, forms HA-carbonate <i>in-vivo</i>	U.S. Biomaterials	Problems with migration from implant site. Not resorbable.	
Autograft bone	Inductive	Usually iliac or tibial crest wedge or just marrow	N/A	Up to >20% explant site morbidity. (Younger)	
Allograft whole bone	Conductive or inductive	Whole Bone Segments or chips, often including articular components. Either Frozen or Freeze-dried	University of Florida Tissue Bank, (UFTB), other tissue banks	Inductive if processing and sterilization is limited. Conductive if over-processed. Perceived problem with disease transmission.	
Grafton	Inductive	DBM in Glycerol matrix, provided pre-loaded in syringe	Osteotech	Problems with migration from implantation site.(Frenkel) 778 Glycerol is a neurolytic agent.	
DBM	Inductive	Powdered or Chips, provided Freeze-dried	UFTB, other tissue banks	Problems with migration from implantation site. (Lasa; Frenkel)	

Figure 1.

Bone Demineralization Procedure		
Step No.	Procedure	Purpose
1	Harvest long bones aseptically, Remove adherent tissue	
2	Grind bones at 4°C to 80 Microns minimum size	Powder demineralizes more rapidly
3	Soak at 4°C in hydrogen Peroxide (3%), 24 hours	Oxidizes proteins, reduces antigenicity, antiseptic
4	Soak at 4°C in 70% Ethanol, 24 hours	Defatting of bone, reduces antigenicity, antiseptic
5	Soak at 4°C in 0.5N HCl, 24 hours	Dissolves and removes mineral components, removes acid soluble proteins, reduces antigenicity, antiseptic
6	Sieve to separate particles in Ranges 80-400 µm, >400 µm, And <80 µm, discard 80µm	80-400µm fraction Is sold as DBM powder. >400 µm is sold as chips, <80 µm is engulfed by macrophagic activity <i>in vivo</i> and Is ineffective, so it is discarded
7	Lyophilize	allows storage at room temperature for up to 4 years, reduces antigenicity

Figure 2.

Figure 3  
 Kinematic Viscosity of Solutions of Porcine and Human Gelatin of Different Heat Treatments





## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>A61L 27/00</b>	<b>A3</b>	(11) International Publication Number: <b>WO 99/38543</b> (43) International Publication Date: <b>5 August 1999 (05.08.99)</b>
<p>(21) International Application Number: <b>PCT/US99/01677</b></p> <p>(22) International Filing Date: <b>27 January 1999 (27.01.99)</b></p> <p>(30) Priority Data: 09/014,519 <b>28 January 1998 (28.01.98)</b> <b>US</b> 09/154,400 <b>16 September 1998 (16.09.98)</b> <b>US</b></p> <p>(71) Applicants (for all designated States except US): <b>REGENERATION TECHNOLOGIES, INC. [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US). UNIVERSITY OF FLORIDA TISSUE BANK, INC. [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US).</b></p> <p>(72) Inventors; and (75) Inventors/Applicants (for US only): <b>WIRONEN, John, F. [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US). FELTON, Phillip, A. [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US). JAW, Rebecca [US/US]; 1 Innovation Drive, Alachua, FL 32615 (US).</b></p> <p>(74) Agent: <b>BENCEN, Gerard, H.; Gerard H. Bencen, P.A., 426 Anderson Court, Orlando, FL 32801 (US).</b></p>	<p>(81) Designated States: <b>AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</b></p> <p><b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p> <p>(88) Date of publication of the international search report: <b>23 September 1999 (23.09.99)</b></p>	
(54) Title: <b>BONE PASTE SUBJECTED TO IRRADIATIVE AND THERMAL TREATMENT</b>		
<p>(57) Abstract</p> <p>A thermally sterilized bone paste useful in the orthopedic arts, for example in the repair of non-union fractures, periodontal ridge augmentation, craniofacial surgery, implant fixation, impaction grafting, or any other procedure in which generation of new bone is deemed necessary, is provided by a composition comprising a substantially bioabsorbable osteogenic compound in a matrix of 11-19 %, and preferably about 15-19 % (w/w) or thermally sterilized gelatin. In various embodiments, the osteogenic compound is selected from (i) demineralized bone matrix (DBM); (ii) bioactive glass ceramic, BIOGLASS®, bioactive ceramic, calcium phosphate ceramic, hydroxyapatite, hydroxyapatite carbonate, corraline hydroxyapatite, calcined bone, tricalcium phosphate, or like material; (iii) bone marrow extracts, vascular proliferation or regeneration growth factors, bone morphogenetic protein, TGF-β, PDGF, or mixtures thereof, natural or recombinant; and (iv) mixtures of (i)-(iii). The thermally sterilised gelatine may be a commercially available grade of gelatine which is both thermally and irradiatively sterilized.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CJ	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroun			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 99/01677

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> IPC 6 A61L27/00				
According to International Patent Classification (IPC) or to both national classification and IPC				
<b>B. FIELDS SEARCHED</b>				
Minimum documentation searched (classification system followed by classification symbols) IPC 6 A61L				
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched				
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)				
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>				
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
P,X	WO 98 40113 A (GROOMS JAMIE M ;WIRONEN JOHN F (US); UNIV FLORIDA RES FOUND (US);) 17 September 1998 (1998-09-17) cited in the application the whole document	1-49		
X	US 4 191 747 A (SCHEICHER HANS) 4 March 1980 (1980-03-04) column 5, line 3 - column 6, line 17	1-49		
X	WO 96 39203 A (BIOCOLL LAB INC) 12 December 1996 (1996-12-12) page 20, line 5 - line 20; claims	1-17		
X	EP 0 530 804 A (SHAW ROBERT F) 10 March 1993 (1993-03-10) claims; examples	1-17		
--- -/--				
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C.				
<input checked="" type="checkbox"/> Patent family members are listed in annex.				
* Special categories of cited documents :				
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none; vertical-align: top;">                     *A* document defining the general state of the art which is not considered to be of particular relevance                      *E* earlier document but published on or after the international filing date                      *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)                      *O* document referring to an oral disclosure, use, exhibition or other means                      *P* document published prior to the international filing date but later than the priority date claimed                 </td> <td style="width: 50%; border: none; vertical-align: top;">                     *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention                      *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone                      *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.                      *Z* document member of the same patent family                 </td> </tr> </table>			*A* document defining the general state of the art which is not considered to be of particular relevance *E* earlier document but published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *Z* document member of the same patent family
*A* document defining the general state of the art which is not considered to be of particular relevance *E* earlier document but published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *Z* document member of the same patent family			
Date of the actual completion of the international search  <p style="text-align: center; font-size: 1.2em;">27 July 1999</p>		Date of mailing of the international search report  <p style="text-align: center; font-size: 1.2em;">05/08/1999</p>		
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer  <p style="text-align: center; font-size: 1.2em;">ESPINOSA, M</p>		





# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 99/01677

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>DATABASE WPI                      Section Ch, Week 8835                      Derwent Publications Ltd., London, GB;                      Class D22, AN 88-247568                      XP002110470                      &amp; JP 63 181770 A (NAGASE M),                      26 July 1988 (1988-07-26)                      abstract</p> <p style="text-align: center;">-----</p>	1

1

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 99/ 01677

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1.  Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
Remark: Although claim(s) 30-32  
is(are) directed to a method of treatment of the human/animal  
body, the search has been carried out and based on the alleged  
effects of the compound/composition.
2.  Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such  
an extent that no meaningful International Search can be carried out, specifically:
3.  Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1.  As all required additional search fees were timely paid by the applicant, this International Search Report covers all  
searchable claims.
2.  As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment  
of any additional fee.
3.  As only some of the required additional search fees were timely paid by the applicant, this International Search Report  
covers only those claims for which fees were paid, specifically claims Nos.:
4.  No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is  
restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- The additional search fees were accompanied by the applicant's protest.
- No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 99/01677

Patent document cited in search report	A	Publication date	Patent family member(s)	Publication date
WO 9840113	A	17-09-1998	AU 6552898 A	29-09-1998
US 4191747	A	04-03-1980	DE 2657370 A	29-06-1978
			AT 370988 B	25-05-1983
			AT 885877 A	15-10-1982
			AU 517844 B	27-08-1981
			AU 3163477 A	21-06-1979
			BE 861969 A	16-06-1978
			CA 1095412 A	10-02-1981
			FR 2374040 A	13-07-1978
			GB 1590340 A	28-05-1981
			IT 1088847 B	10-06-1985
			JP 53118887 A	17-10-1978
			SE 432872 B	30-04-1984
			SE 7714045 A	18-06-1978
WO 9639203	A	12-12-1996	AU 6107496 A	24-12-1996
			CA 2222626 A	12-12-1996
			CN 1192700 A	09-09-1998
			EP 0851772 A	08-07-1998
EP 0530804	A	10-03-1993	US 5270300 A	14-12-1993
			AU 657888 B	23-03-1995
			AU 2541192 A	05-04-1993
			CA 2116859 A	18-03-1993
			IL 102988 A	08-02-1998
			JP 7500741 T	26-01-1995
			NO 940764 A	29-04-1994
			NZ 244060 A	27-07-1997
			WO 9304710 A	18-03-1993
			ZA 9206729 A	12-03-1993
EP 0329239	A	23-08-1989	JP 2005960 A	10-01-1990
			US 5292349 A	08-03-1994
JP 1032371	A	02-02-1989	NONE	
US 5405390	A	11-04-1995	US 5236456 A	17-08-1993
			CA 2041394 A	18-07-1992
			DE 69118505 D	09-05-1996
			DE 69118505 T	28-11-1996
			EP 0495284 A	22-07-1992
			JP 4246359 A	02-09-1993
US 5422340	A	06-06-1995	US 5158934 A	27-10-1992
			AT 153535 T	15-06-1997
			AU 671721 B	05-09-1996
			AU 6026294 A	15-08-1994
			CA 2151486 A	21-07-1994
			DE 69403439 D	03-07-1997
			DE 69403439 T	23-10-1997
			DK 679097 T	22-12-1997
			EP 0679097 A	02-11-1995
			ES 2105641 T	16-10-1997
			GR 3024277 T	31-10-1997
			JP 8505548 T	18-06-1996
			WO 9415653 A	21-07-1994
			US 5409896 A	25-04-1995

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No  
PCT/US 99/01677

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5422340 A		US 5604204 A	18-02-1997
JP 5277174 A	26-10-1993	NONE	
JP 5123390 A	21-05-1993	NONE	
JP 1288269 A	20-11-1989	NONE	
JP 63181770 A	26-07-1988	NONE	

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT OR DRAWING
- BLURRED OR ILLEGIBLE TEXT OR DRAWING
- SKEWED/SLANTED IMAGES
- COLOR OR BLACK AND WHITE PHOTOGRAPHS
- GRAY SCALE DOCUMENTS
- LINES OR MARKS ON ORIGINAL DOCUMENT
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**